


## Declaration of Performance

### Permavent Impermeable Membrane

Product identification description	Permavent 145 Impermeable Roofing Underlay Non- Breather	
Product identification as a construction product	Identified by brand colour serial number and batch traceability	
Manufacturer	Permavent Limited, 11 Cumberland Drive, Granby Industrial Estate, Weymouth, Dorset. DT4 9TB	
Authorised representative	Timofei Yeremeyev 12 Lierweg Born/Amel 4770 Belgium	
System of AVCP	System 3	
Notified testing body. No. 1488	INSTYTUT TECHNIKI BUDOWLANEJ (ITB) ul. Filtrów 1 00-611 Warszawa	 Instytut Techniki Budowlanej
Essential Characteristics	Performance	Standard
Reaction to fire	Class E	EN 13501
Resistance to water Penetration	Class W1	EN 13859-1
Tensile strength MD	197 N/50mm BS EN 12311-1	EN 13859-1
Tensile strength CD	140 N/50mm BS EN 12311-1	EN 13859-1
Flexibility at low temperature	-40 °C	EN 13859-1
Water vapour transmission	22 Sd	EN 12572
Resistance to nail tearing MD	124 N BS EN 12310-1	EN13859-1
Resistance to nail tearing CD	150 N BS EN 12310-1	EN13859-1
Mass per unit area	145 g/m <sup>2</sup>	

We confirm that the product conforms, having been tested to the construction products regulation and as the manufacturer accept responsibility for the compliance of the product.

Signed for on behalf of the manufacturer:



**Timofei Yeremeyev**

Director  
Permavent Ltd  
January 2024